

Highlights:

- Warm & true to nature sound
- Weatherproof - IP55 rating
- Countless mounting possibilities
- Diverse connections possibilities
- High grade aluminum construction
- 70V/100V transformer option available

"A sound that lasts"

The VIRO is a powerful 2-way performance speaker which is designed for outdoor and indoor use, ensuring true-to-nature, high fidelity reproduction of music and speech in every environment, ranging from residential applications to the most demanding outdoor applications in parks, hotels and even clubs.

Crafted in high-grade aluminium with incredible attention to detail. The material choice goes well beyond aesthetics. It also provides superior acoustic properties thanks to its material stiffness and seamless surfaces that eliminate any distortion of your sound.

The aluminium construction and grill with hydrophobic cloth provides the necessary protection for all weather conditions. The combination of the cloth, sealing rubbers and drainage holes on the bottom of the speaker make it IP55 compliant.

Exchange your connections easily. From cable glands with rubber grommets to optional SpeakON connections and even an optional 70/100V transformer (TRV106).



Certification:



Properties:



Impedance:



Voltage:



System specifications:

Peak power handling	240 W
Program power handling	120 W
RMS/AES power handling	60 W
Impedance	8 Ω (VIRO5)
	16 Ω (VIRO5D)
Sensitivity (1W/1m)	89 dB
Sound Pressure (Max. W/1m)	110 dB
Drivers	2-way 5 1/4" Coaxial

Product Features:

Construction		Powder coated aluminium
Front finish		Aluminium grill with hydrophobic cloth
Colours		White (RAL9003) (VIRO5/W & VIRO5D/W)
		Black (RAL9004) (VIRO5/B & VIRO5D/B)
Dimensions		198 x 235 x 191 mm (W x H x D)
Weight		4.2 kg
Accessories	Optional	TRV106 70-100V transformer module
		CVS102 SpeakON connection plate
		MBK523/G Ground pin
		MBK530 Pole mount