

### Highlights:

- Front USB type-C port
- Integrated Bluetooth receiver
- 4-channel Dante™/AES67
- Internal mixing & DSP processing

### Product information:

The NWP400 is a Dante™/AES67 networked audio input panel, featuring a USB Type-C audio input and an integrated Bluetooth receiver, which can be used to transmit a stereo audio signal in a Dante™ audio network. This can be used for connecting e.g. laptops or other portable devices as an audio source to a Dante™ audio network.

Various further integrated functions such as integrated equalizing, automatic level control and other device settings can be configured through the AUDAC Touch™ app.

The front panel is finished with high-grade materials such as hardened glass making them blend into any environment. These wall panels are compatible with standard EU style in wall boxes, these wall panels are the ideal solution for solid and hollow walls.

The IP-based communication makes it future-proof while also being backwards compatible with many existing products. In contrast, the limited PoE power consumption makes it compatible with any PoE network-based installation.



### Certification:



### Properties:

Internal mixing & EQ

### Additional Inputs:



System specifications:

Inputs		Bluetooth
		USB Type C (in)
Control		1 button - Bluetooth discoverable
Indicators		1 LED (RGB) - Bluetooth status
Configurable settings		IP settings
		Device name
		Gain
		DSP (EQ)
		Mixing
Configuration		Audac Touch™
Integrated DSP		Yes (EQ)
Automatic level control		Yes
Power	Supply	PoE powered (IEEE 802.3at)
Connectors		USB Type C (audio in)
		RJ45 (network + PoE)

Product Features:

Construction		ABS
Front finish		Elegant ABS front panel with glass
Dimensions		80 x 80 mm (W x H) (Remote wall panel)
Colours		White (RAL9003) (DWP345/W)
		Black (RAL9005) (DWP345/B)
Compatible devices		Any Dante™/AES67 compatible audio device
Installation standard		Compatible with EU installation materials

Variants:

- NWP400/B - Black version
- NWP400/W - White version

