

VOVOX® Pro Audio

Stand 03-2024

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVP EUR excl. VAT/MwSt.	SRP/UVP EUR incl. 19% VAT/MwSt.
VOVOX Pro Audio Analog Cables								
Balanced Cables, Non-Shielded								
VOVOX link direct S (balanced, non-shielded)								
6.0901	VOVOX link	direct S	100 cm	3.3 ft	XLRf	XLRm	89	106
6.0913	VOVOX link	direct S	100 cm	3.3 ft	TRS	XLRm	89	106
6.0914	VOVOX link	direct S	100 cm	3.3 ft	XLRf	TRS	89	106
6.0915	VOVOX link	direct S	100 cm	3.3 ft	TRS	TRS	89	106
6.0909	VOVOX link	direct S	200 cm	6.6 ft	XLRf	XLRm	109	130
6.0910	VOVOX link	direct S	200 cm	6.6 ft	TRS	XLRm	109	130
6.0916	VOVOX link	direct S	200 cm	6.6 ft	XLRf	TRS	109	130
6.0917	VOVOX link	direct S	200 cm	6.6 ft	TRS	TRS	109	130
6.0902	VOVOX link	direct S	350 cm	11.5 ft	XLRf	XLRm	139	165
6.0911	VOVOX link	direct S	350 cm	11.5 ft	TRS	XLRm	139	165
6.0918	VOVOX link	direct S	350 cm	11.5 ft	XLRf	TRS	139	165
6.0919	VOVOX link	direct S	350 cm	11.5 ft	TRS	TRS	139	165
6.0903	VOVOX link	direct S	500 cm	16.4 ft	XLRf	XLRm	165	196
6.0912	VOVOX link	direct S	500 cm	16.4 ft	TRS	XLRm	165	196
6.0904	VOVOX link	direct S	750 cm	24.6 ft	XLRf	XLRm	215	256
6.0905	VOVOX link	direct S	1000 cm	32.8 ft	XLRf	XLRm	259	308
6.0906	VOVOX link	direct S	2x 500 cm *	2x 16.4 ft *	XLRf	XLRm	335	399
6.0907	VOVOX link	direct S	2x 750 cm *	2x 24.6 ft *	XLRf	XLRm	425	506
6.0908	VOVOX link	direct S	2x 1000 cm *	2x 32.8 ft *	XLRf	XLRm	519	618
VOVOX sonorus direct S (balanced, non-shielded)								
6.3301	VOVOX sonorus	direct S	100 cm	3.3 ft	XLRf	XLRm	99	118
6.3313	VOVOX sonorus	direct S	100 cm	3.3 ft	TRS	XLRm	99	118
6.3314	VOVOX sonorus	direct S	100 cm	3.3 ft	XLRf	TRS	99	118
6.3315	VOVOX sonorus	direct S	100 cm	3.3 ft	TRS	TRS	99	118
6.3309	VOVOX sonorus	direct S	200 cm	6.6 ft	XLRf	XLRm	129	154
6.3310	VOVOX sonorus	direct S	200 cm	6.6 ft	TRS	XLRm	129	154
6.3316	VOVOX sonorus	direct S	200 cm	6.6 ft	XLRf	TRS	129	154
6.3317	VOVOX sonorus	direct S	200 cm	6.6 ft	TRS	TRS	129	154
6.3302	VOVOX sonorus	direct S	350 cm	11.5 ft	XLRf	XLRm	175	208
6.3311	VOVOX sonorus	direct S	350 cm	11.5 ft	TRS	XLRm	175	208
6.3318	VOVOX sonorus	direct S	350 cm	11.5 ft	XLRf	TRS	175	208
6.3319	VOVOX sonorus	direct S	350 cm	11.5 ft	TRS	TRS	175	208
6.3303	VOVOX sonorus	direct S	500 cm	16.4 ft	XLRf	XLRm	219	261
6.3312	VOVOX sonorus	direct S	500 cm	16.4 ft	TRS	XLRm	219	261
6.3304	VOVOX sonorus	direct S	750 cm	24.6 ft	XLRf	XLRm	289	344
6.3305	VOVOX sonorus	direct S	1000 cm	32.8 ft	XLRf	XLRm	365	434
6.3320	VOVOX sonorus	direct S	2x 100 cm *	2x 3.3 ft *	XLRf	XLRm	199	237
6.3321	VOVOX sonorus	direct S	2x 150 cm *	2x 4.9 ft *	XLRf	XLRm	229	273
6.3306	VOVOX sonorus	direct S	2x 500 cm *	2x 16.4 ft *	XLRf	XLRm	435	518
6.3307	VOVOX sonorus	direct S	2x 750 cm *	2x 24.6 ft *	XLRf	XLRm	579	689
6.3308	VOVOX sonorus	direct S	2x 1000 cm *	2x 32.8 ft *	XLRf	XLRm	729	868

Fortsetzung folgt auf Seite 2

VOVOX® Pro Audio
Stand 03-2024

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVP EUR excl. VAT/MwSt.	SRP/UVP EUR incl. 19% VAT/MwSt.
VOVOX Pro Audio Analog Cables								
Balanced Cables, Non-Shielded								
VOVOX excelsus direct S (balanced, non-shielded)								
6.8101	VOVOX excelsus	direct S	100 cm	3.3 ft	XLRf	XLRm	285	339
6.8113	VOVOX excelsus	direct S	100 cm	3.3 ft	TRS	XLRm	285	339
6.8114	VOVOX excelsus	direct S	100 cm	3.3 ft	XLRf	TRS	285	339
6.8115	VOVOX excelsus	direct S	100 cm	3.3 ft	TRS	TRS	285	339
6.8109	VOVOX excelsus	direct S	200 cm	6.6 ft	XLRf	XLRm	385	458
6.8110	VOVOX excelsus	direct S	200 cm	6.6 ft	TRS	XLRm	385	458
6.8116	VOVOX excelsus	direct S	200 cm	6.6 ft	XLRf	TRS	385	458
6.8117	VOVOX excelsus	direct S	200 cm	6.6 ft	TRS	TRS	385	458
6.8102	VOVOX excelsus	direct S	350 cm	11.5 ft	XLRf	XLRm	545	649
6.8111	VOVOX excelsus	direct S	350 cm	11.5 ft	TRS	XLRm	545	649
6.8118	VOVOX excelsus	direct S	350 cm	11.5 ft	XLRf	TRS	545	649
6.8119	VOVOX excelsus	direct S	350 cm	11.5 ft	TRS	TRS	545	649
6.8103	VOVOX excelsus	direct S	500 cm	16.4 ft	XLRf	XLRm	699	832
6.8112	VOVOX excelsus	direct S	500 cm	16.4 ft	TRS	XLRm	699	832
6.8120	VOVOX excelsus	direct S	2x 100 cm *	2x 3.3 ft *	XLRf	XLRm	565	672
6.8121	VOVOX excelsus	direct S	2x 150 cm *	2x 4.9 ft *	XLRf	XLRm	669	796
Balanced Cables, Shielded								
VOVOX link protect S (balanced, shielded)								
6.1001	VOVOX link	protect S	100 cm	3.3 ft	XLRf	XLRm	119	142
6.1013	VOVOX link	protect S	100 cm	3.3 ft	TRS	XLRm	119	142
6.1014	VOVOX link	protect S	100 cm	3.3 ft	XLRf	TRS	119	142
6.1015	VOVOX link	protect S	100 cm	3.3 ft	TRS	TRS	119	142
6.1009	VOVOX link	protect S	200 cm	6.6 ft	XLRf	XLRm	149	177
6.1010	VOVOX link	protect S	200 cm	6.6 ft	TRS	XLRm	149	177
6.1016	VOVOX link	protect S	200 cm	6.6 ft	XLRf	TRS	149	177
6.1017	VOVOX link	protect S	200 cm	6.6 ft	TRS	TRS	149	177
6.1002	VOVOX link	protect S	350 cm	11.5 ft	XLRf	XLRm	195	232
6.1011	VOVOX link	protect S	350 cm	11.5 ft	TRS	XLRm	195	232
6.1018	VOVOX link	protect S	350 cm	11.5 ft	XLRf	TRS	195	232
6.1019	VOVOX link	protect S	350 cm	11.5 ft	TRS	TRS	195	232
6.1003	VOVOX link	protect S	500 cm	16.4 ft	XLRf	XLRm	235	280
6.1012	VOVOX link	protect S	500 cm	16.4 ft	TRS	XLRm	235	280
6.1004	VOVOX link	protect S	750 cm	24.6 ft	XLRf	XLRm	309	368
6.1005	VOVOX link	protect S	1000 cm	32.8 ft	XLRf	XLRm	379	451
6.1006	VOVOX link	protect S	2x 500 cm *	2x 16.4 ft *	XLRf	XLRm	475	565
6.1007	VOVOX link	protect S	2x 750 cm *	2x 24.6 ft *	XLRf	XLRm	615	732
6.1008	VOVOX link	protect S	2x 1000 cm *	2x 32.8 ft *	XLRf	XLRm	759	903

Fortsetzung folgt auf Seite 3

VOVOX® Pro Audio

Stand 03-2024

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVP EUR excl. VAT/MwSt.	SRP/UVP EUR incl. 19% VAT/MwSt.
VOVOX Pro Audio Analog Cables								
Multipair Cables								
VOVOX sonorus muco (balanced, non-shielded)								
6.3401	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	DB25	659	784
6.3402	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	8x XLRm	825	982
6.3414	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	8xTRS	825	982
6.3403	VOVOX sonorus	muco	100 cm	3.3 ft	8x XLRf	DB25	825	982
6.3415	VOVOX sonorus	muco	100 cm	3.3 ft	8 x TRS	DB25	825	982
6.3405	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	DB25	895	1065
6.3406	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	8x XLRm	1055	1255
6.3416	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	8xTRS	1055	1255
6.3407	VOVOX sonorus	muco	200 cm	6.6 ft	8x XLRf	DB25	1055	1255
6.3417	VOVOX sonorus	muco	200 cm	6.6 ft	8 x TRS	DB25	1055	1255
6.3409	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	DB25	1135	1351
6.3410	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	8x XLRm	1295	1541
6.3418	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	8xTRS	1295	1541
6.3411	VOVOX sonorus	muco	300 cm	9.9 ft	8x XLRf	DB25	1295	1541
6.3419	VOVOX sonorus	muco	300 cm	9.9 ft	8 x TRS	DB25	1295	1541
6.3413	VOVOX sonorus	muco	300 cm	9.9 ft	8x XLRf	8x XLRm	1395	1660
Interconnect Cables, Non-Shielded								
VOVOX sonorus direct A (unbalanced, non-shielded)								
6.7802	VOVOX sonorus	direct A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	389	463
6.7804	VOVOX sonorus	direct A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	419	499
VOVOX excelsus direct A (unbalanced, non-shielded)								
6.8002	VOVOX excelsus	direct A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	659	784
6.8004	VOVOX excelsus	direct A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	759	903
Interconnect Cables, Shielded								
VOVOX link protect A (unbalanced, shielded)								
6.0710	VOVOX link	protect A	2x 100 cm	2x 3.3 ft	RCA	RCA	235	280
6.0711	VOVOX link	protect A	2x 200 cm	2x 6.6 ft	RCA	RCA	275	327
6.0712	VOVOX link	protect A	2x 350 cm	2x 11.5 ft	RCA	RCA	335	399
VOVOX sonorus protect A (unbalanced, shielded)								
6.3214	VOVOX sonorus	protect A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	389	463
6.3216	VOVOX sonorus	protect A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	419	499

Fortsetzung folgt auf Seite 4

VOVOX® Pro Audio

Stand 03-2024

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVP EUR excl. VAT/MwSt.	SRP/UVP EUR incl. 19% VAT/MwSt.
VOVOX Pro Audio Digital Cables								
S/P-DIF Cables								
VOVOX link protect AD (unbalanced, shielded, S/P-DIF 75 Ohm)								
6.2101	VOVOX link	protect AD	100 cm	3.3 ft	RCA	RCA	135	161
6.2102	VOVOX link	protect AD	200 cm	6.6 ft	RCA	RCA	165	196
6.2103	VOVOX link	protect AD	350 cm	11.5 ft	RCA	RCA	209	249
6.2104	VOVOX link	protect AD	500 cm	16.4 ft	RCA	RCA	255	303
6.2105	VOVOX link	protect AD	750 cm	24.6 ft	RCA	RCA	325	387
6.2106	VOVOX link	protect AD	1000 cm	32.8 ft	RCA	RCA	399	475
VOVOX sonorus direct A (unbalanced, non-shielded)								
6.7801	VOVOX sonorus	direct A	100 cm	3.3 ft	RCA	RCA	229	273
6.7803	VOVOX sonorus	direct A	150 cm	4.9 ft	RCA	RCA	249	296
VOVOX excelsus direct A (unbalanced, non-shielded)								
6.8001	VOVOX excelsus	direct A	100 cm	3.3 ft	RCA	RCA	345	411
6.8003	VOVOX excelsus	direct A	150 cm	4.9 ft	RCA	RCA	395	470
Wordclock Cables								
VOVOX link protect AD (unbalanced, shielded, Coaxial 75 Ohm)								
6.2107	VOVOX link	protect AD	100 cm	3.3 ft	BNC	BNC	135	161
6.2108	VOVOX link	protect AD	200 cm	6.6 ft	BNC	BNC	165	196
6.2109	VOVOX link	protect AD	350 cm	11.5 ft	BNC	BNC	209	249
Multipar AES/EBU Cables								
VOVOX sonorus muco (balanced, non-shielded)								
6.3420	VOVOX sonorus	muco	100 cm **	3.3 ft **	DB25	DB25	695	827
6.3421	VOVOX sonorus	muco	100 cm **	3.3 ft **	DB25	4xXLRf/4xXLRm	855	1017
6.3422	VOVOX sonorus	muco	200 cm **	6.6 ft **	DB25	DB25	929	1106
6.3423	VOVOX sonorus	muco	200 cm **	6.6 ft **	DB25	4xXLRf/4xXLRm	1095	1303
6.3424	VOVOX sonorus	muco	300 cm **	9.9 ft **	DB25	DB25	1169	1391
6.3425	VOVOX sonorus	muco	300 cm **	9.9 ft **	DB25	4xXLRf/4xXLRm	1329	1582
VOVOX Pro Audio Power Supply								
Power Cables								
VOVOX sonorus power (power cord 230V for stationary audio equipment)								
4.8601	VOVOX sonorus	power	100 cm	3.3 ft	SchuKo	IEC	295	351
4.8602	VOVOX sonorus	power	180 cm	5.9 ft	SchuKo	IEC	375	446
4.8603	VOVOX sonorus	power	100 cm	3.3 ft	US	IEC	295	351
4.8604	VOVOX sonorus	power	180 cm	5.9 ft	US	IEC	375	446
VOVOX excelsus power (power cord 230V for stationary audio equipment)								
4.8301	VOVOX excelsus	power	100 cm	3.3 ft	SchuKo	IEC	425	506
4.8302	VOVOX excelsus	power	180 cm	5.9 ft	SchuKo	IEC	515	613
4.8303	VOVOX excelsus	power	100 cm	3.3 ft	US	IEC	425	506
4.8304	VOVOX excelsus	power	180 cm	5.9 ft	US	IEC	515	613

* stereo pair / ** bi-directional