

Highlights:

- 2 x XLR inputs
- Integrated Bluetooth receiver
- 3.5 mm jack
- 4-channel Dante™/AES67
- Internal mixing & DSP processing

Product information:

The NWP320 is a Dante™/AES67 networked audio input panel, featuring two XLR connectors, a 3.5 mm jack stereo input connection and an integrated Bluetooth receiver which can transmit audio signals in a Dante™ audio network. The audio inputs can be switched between line-level and microphone-level audio signals and phantom power (+48 V DC) can be applied to the XLR input connectors for powering condenser microphones.

Various further integrated functions such as integrated equalizing, automatic level control and other device settings can be configured through the AUDAC Touch™ app.

The front panel is finished with high-grade materials such as hardened glass makes them blend into any environment. These wall panels are compatible with standard EU-style in-wall boxes, these wall panels are the ideal solution for solid and hollow walls.

The IP-based communication makes it future-proof while also being backwards compatible with many existing products. In contrast, the limited PoE power consumption makes it compatible with any PoE network-based installation.



Certification:



Properties:

Internal mixing & EQ

Additional Inputs:

Bluetooth

System specifications:

Inputs	2 x XLR female (in)	
	3.5 mm Jack (Stereo)	
Control	2 buttons - Mic / Line switching	
Indicators	2 LED's (RGB) - Input status	
Configurable settings	IP settings	
	Device name	
	Input range (Mic / Line)	
	Gain	
	Phantom power	
Configuration	DSP (EQ)	
	Mixing	
	Audac Touch™	
	Integrated DSP	
	Yes (EQ)	
Automatic level control	Yes	
Phantom power	+48 V DC	
Power	Supply	PoE powered (IEEE 802.3at)
Connectors	3.5 mm Jack stereo (audio in)	
	RJ45 (network + PoE)	
	1 x XLR female (audio in)	

Product Features:

Construction	ABS	
Front finish	Elegant front panel with glass	
Colours	White (RAL9003) (DWP215/W)	
	Black (RAL9005) (DWP215/B)	
Compatible devices	Any Dante™/AES67 compatible audio device	
Dimensions	80 x 80 mm (W x H) (Remote wall panel)	
Installation standard	Compatible with EU installation materials	

Variants:

- NWP320/B - Black version
- NWP320/W - White version

