



PR430X


Twisted assembling cable - 2 x 0.25 mm² - 23 AWG

Highlights:

- Twisted & separable wires
- Different colors for pair identification
- Reduced crosstalk due to twisting

Product information:

The PROCAB PR Series offers you a twisted assembling cable in various colours. This series consists of a cable with 2 twisted wires, one wire is black and for the other wire you can choose out of nine colour. Those nine colours come from the resistance colour code and are : brown, red, orange, yellow, green, blue, purple, grey and white. This cable is very efficient in use when doing a 19 inch rack assembling or when you don't have a lot of space for "bigger" cables. The cable is very reliable for your signal thanks to its good twisting that reduces the talkover between cables. The PR Series of PROCAB offers you a cable that cares about your assembling.



Properties:



Inner Conductors:



Usage:


RACK

INSTALL

Physical Characteristics:

Inner conductor	Insulation	Material	PVC 1.4 mm (Ø)
		Colours	Black / Yellow (PR4304)
			Black / White (PR4309)
			Black / Brown (PR4301)
			Black / Red (PR4302)
			Black / Orange (PR4303)
			Black / Green (PR4306)
			Black / Blue (PR4306)
			Black / Purple (PR4308)
			Black / Grey (PR4308)
	Material		TC 8 x 0.2 mm (Ø) (OFC)
Type of cable			2-core loudspeaker cable
Inner conductor	Section		0.25 mm²
	American Wire Gauge		23 AWG
	Number of conductors		2
	Conductor twisting		Yes

Cross sections:



Variants:

- PR4304/1 - 100 meter, black & yellow
- PR4305/1 - 100 meter, black & green
- PR4306/1 - 100 meter, black & blue
- PR4307/1 - 100 meter, black & purple
- PR4308/1 - 100 meter, black & grey
- PR4309/1 - 100 meter, black & white
- PR4301/1 - 100 meter, black & brown