

## VOVOX® Pro Audio

Stand 03-2023

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 19% VAT/MwSt.
<b>VOVOX Pro Audio Analog Cables</b>								
<b>Balanced Cables, Non-Shielded</b>								
<b>VOVOX link direct S (balanced, non-shielded)</b>								
6.0901	VOVOX link	direct S	100 cm	3.3 ft	XLRf	XLRm	69	82
6.0913	VOVOX link	direct S	100 cm	3.3 ft	TRS	XLRm	69	82
6.0914	VOVOX link	direct S	100 cm	3.3 ft	XLRf	TRS	69	82
6.0915	VOVOX link	direct S	100 cm	3.3 ft	TRS	TRS	69	82
6.0909	VOVOX link	direct S	200 cm	6.6 ft	XLRf	XLRm	85	101
6.0910	VOVOX link	direct S	200 cm	6.6 ft	TRS	XLRm	85	101
6.0916	VOVOX link	direct S	200 cm	6.6 ft	XLRf	TRS	85	101
6.0917	VOVOX link	direct S	200 cm	6.6 ft	TRS	TRS	85	101
6.0902	VOVOX link	direct S	350 cm	11.5 ft	XLRf	XLRm	109	130
6.0911	VOVOX link	direct S	350 cm	11.5 ft	TRS	XLRm	109	130
6.0918	VOVOX link	direct S	350 cm	11.5 ft	XLRf	TRS	109	130
6.0919	VOVOX link	direct S	350 cm	11.5 ft	TRS	TRS	109	130
6.0903	VOVOX link	direct S	500 cm	16.4 ft	XLRf	XLRm	135	161
6.0912	VOVOX link	direct S	500 cm	16.4 ft	TRS	XLRm	135	161
6.0904	VOVOX link	direct S	750 cm	24.6 ft	XLRf	XLRm	179	213
6.0905	VOVOX link	direct S	1000 cm	32.8 ft	XLRf	XLRm	219	261
6.0906	VOVOX link	direct S	2x 500 cm *	2x 16.4 ft *	XLRf	XLRm	269	320
6.0907	VOVOX link	direct S	2x 750 cm *	2x 24.6 ft *	XLRf	XLRm	355	422
6.0908	VOVOX link	direct S	2x 1000 cm *	2x 32.8 ft *	XLRf	XLRm	439	522
<b>VOVOX sonorus direct S (balanced, non-shielded)</b>								
6.3301	VOVOX sonorus	direct S	100 cm	3.3 ft	XLRf	XLRm	85	101
6.3313	VOVOX sonorus	direct S	100 cm	3.3 ft	TRS	XLRm	85	101
6.3314	VOVOX sonorus	direct S	100 cm	3.3 ft	XLRf	TRS	85	101
6.3315	VOVOX sonorus	direct S	100 cm	3.3 ft	TRS	TRS	85	101
6.3309	VOVOX sonorus	direct S	200 cm	6.6 ft	XLRf	XLRm	109	130
6.3310	VOVOX sonorus	direct S	200 cm	6.6 ft	TRS	XLRm	109	130
6.3316	VOVOX sonorus	direct S	200 cm	6.6 ft	XLRf	TRS	109	130
6.3317	VOVOX sonorus	direct S	200 cm	6.6 ft	TRS	TRS	109	130
6.3302	VOVOX sonorus	direct S	350 cm	11.5 ft	XLRf	XLRm	149	177
6.3311	VOVOX sonorus	direct S	350 cm	11.5 ft	TRS	XLRm	149	177
6.3318	VOVOX sonorus	direct S	350 cm	11.5 ft	XLRf	TRS	149	177
6.3319	VOVOX sonorus	direct S	350 cm	11.5 ft	TRS	TRS	149	177
6.3303	VOVOX sonorus	direct S	500 cm	16.4 ft	XLRf	XLRm	189	225
6.3312	VOVOX sonorus	direct S	500 cm	16.4 ft	TRS	XLRm	189	225
6.3304	VOVOX sonorus	direct S	750 cm	24.6 ft	XLRf	XLRm	255	303
6.3305	VOVOX sonorus	direct S	1000 cm	32.8 ft	XLRf	XLRm	319	380
6.3320	VOVOX sonorus	direct S	2x 100 cm *	2x 3.3 ft *	XLRf	XLRm	169	201
6.3321	VOVOX sonorus	direct S	2x 150 cm *	2x 4.9 ft *	XLRf	XLRm	195	232
6.3306	VOVOX sonorus	direct S	2x 500 cm *	2x 16.4 ft *	XLRf	XLRm	375	446
6.3307	VOVOX sonorus	direct S	2x 750 cm *	2x 24.6 ft *	XLRf	XLRm	505	601
6.3308	VOVOX sonorus	direct S	2x 1000 cm *	2x 32.8 ft *	XLRf	XLRm	635	756

Fortsetzung folgt auf Seite 2

## VOVOX® Pro Audio

Stand 03-2023

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 19% VAT/MwSt.
<b>VOVOX Pro Audio Analog Cables</b>								
<b>Balanced Cables, Non-Shielded</b>								
<b>VOVOX excelsus direct S (balanced, non-shielded)</b>								
6.8101	VOVOX excelsus	direct S	100 cm	3.3 ft	XLRf	XLRm	249	296
6.8113	VOVOX excelsus	direct S	100 cm	3.3 ft	TRS	XLRm	249	296
6.8114	VOVOX excelsus	direct S	100 cm	3.3 ft	XLRf	TRS	249	296
6.8115	VOVOX excelsus	direct S	100 cm	3.3 ft	TRS	TRS	249	296
6.8109	VOVOX excelsus	direct S	200 cm	6.6 ft	XLRf	XLRm	345	411
6.8110	VOVOX excelsus	direct S	200 cm	6.6 ft	TRS	XLRm	345	411
6.8116	VOVOX excelsus	direct S	200 cm	6.6 ft	XLRf	TRS	345	411
6.8117	VOVOX excelsus	direct S	200 cm	6.6 ft	TRS	TRS	345	411
6.8102	VOVOX excelsus	direct S	350 cm	11.5 ft	XLRf	XLRm	479	570
6.8111	VOVOX excelsus	direct S	350 cm	11.5 ft	TRS	XLRm	479	570
6.8118	VOVOX excelsus	direct S	350 cm	11.5 ft	XLRf	TRS	479	570
6.8119	VOVOX excelsus	direct S	350 cm	11.5 ft	TRS	TRS	479	570
6.8103	VOVOX excelsus	direct S	500 cm	16.4 ft	XLRf	XLRm	615	732
6.8112	VOVOX excelsus	direct S	500 cm	16.4 ft	TRS	XLRm	615	732
6.8120	VOVOX excelsus	direct S	2x 100 cm *	2x 3.3 ft *	XLRf	XLRm	499	594
6.8121	VOVOX excelsus	direct S	2x 150 cm *	2x 4.9 ft *	XLRf	XLRm	595	708
<b>Balanced Cables, Shielded</b>								
<b>VOVOX link protect S (balanced, shielded)</b>								
6.1001	VOVOX link	protect S	100 cm	3.3 ft	XLRf	XLRm	99	118
6.1013	VOVOX link	protect S	100 cm	3.3 ft	TRS	XLRm	99	118
6.1014	VOVOX link	protect S	100 cm	3.3 ft	XLRf	TRS	99	118
6.1015	VOVOX link	protect S	100 cm	3.3 ft	TRS	TRS	99	118
6.1009	VOVOX link	protect S	200 cm	6.6 ft	XLRf	XLRm	119	142
6.1010	VOVOX link	protect S	200 cm	6.6 ft	TRS	XLRm	119	142
6.1016	VOVOX link	protect S	200 cm	6.6 ft	XLRf	TRS	119	142
6.1017	VOVOX link	protect S	200 cm	6.6 ft	TRS	TRS	119	142
6.1002	VOVOX link	protect S	350 cm	11.5 ft	XLRf	XLRm	159	189
6.1011	VOVOX link	protect S	350 cm	11.5 ft	TRS	XLRm	159	189
6.1018	VOVOX link	protect S	350 cm	11.5 ft	XLRf	TRS	159	189
6.1019	VOVOX link	protect S	350 cm	11.5 ft	TRS	TRS	159	189
6.1003	VOVOX link	protect S	500 cm	16.4 ft	XLRf	XLRm	199	237
6.1012	VOVOX link	protect S	500 cm	16.4 ft	TRS	XLRm	199	237
6.1004	VOVOX link	protect S	750 cm	24.6 ft	XLRf	XLRm	259	308
6.1005	VOVOX link	protect S	1000 cm	32.8 ft	XLRf	XLRm	325	387
6.1006	VOVOX link	protect S	2x 500 cm *	2x 16.4 ft *	XLRf	XLRm	395	470
6.1007	VOVOX link	protect S	2x 750 cm *	2x 24.6 ft *	XLRf	XLRm	525	625
6.1008	VOVOX link	protect S	2x 1000 cm *	2x 32.8 ft *	XLRf	XLRm	649	772

Fortsetzung folgt auf Seite 3

**VOVOX® Pro Audio**
**Stand 03-2023**

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 19% VAT/MwSt.
<b>VOVOX Pro Audio Analog Cables</b>								
<b>Multipair Cables</b>								
<b>VOVOX sonorus muco (balanced, non-shielded)</b>								
6.3401	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	DB25	555	660
6.3402	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	8x XLRm	615	732
6.3414	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	8xTRS	615	732
6.3403	VOVOX sonorus	muco	100 cm	3.3 ft	8x XLRf	DB25	615	732
6.3415	VOVOX sonorus	muco	100 cm	3.3 ft	8 x TRS	DB25	615	732
6.3405	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	DB25	765	910
6.3406	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	8x XLRm	825	982
6.3416	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	8xTRS	825	982
6.3407	VOVOX sonorus	muco	200 cm	6.6 ft	8x XLRf	DB25	825	982
6.3417	VOVOX sonorus	muco	200 cm	6.6 ft	8 x TRS	DB25	825	982
6.3409	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	DB25	975	1160
6.3410	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	8x XLRm	1035	1232
6.3418	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	8xTRS	1035	1232
6.3411	VOVOX sonorus	muco	300 cm	9.9 ft	8x XLRf	DB25	1035	1232
6.3419	VOVOX sonorus	muco	300 cm	9.9 ft	8 x TRS	DB25	1035	1232
6.3413	VOVOX sonorus	muco	300 cm	9.9 ft	8x XLRf	8x XLRm	1065	1267
<b>Interconnect Cables, Non-Shielded</b>								
<b>VOVOX sonorus direct A (unbalanced, non-shielded)</b>								
6.7802	VOVOX sonorus	direct A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	349	415
6.7804	VOVOX sonorus	direct A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	375	446
<b>VOVOX excelsus direct A (unbalanced, non-shielded)</b>								
6.8002	VOVOX excelsus	direct A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	589	701
6.8004	VOVOX excelsus	direct A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	675	803
<b>Interconnect Cables, Shielded</b>								
<b>VOVOX link protect A (unbalanced, shielded)</b>								
6.0710	VOVOX link	protect A	2x 100 cm	2x 3.3 ft	RCA	RCA	209	249
6.0711	VOVOX link	protect A	2x 200 cm	2x 6.6 ft	RCA	RCA	245	292
6.0712	VOVOX link	protect A	2x 350 cm	2x 11.5 ft	RCA	RCA	299	356
<b>VOVOX sonorus protect A (unbalanced, shielded)</b>								
6.3214	VOVOX sonorus	protect A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	349	415
6.3216	VOVOX sonorus	protect A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	375	446

Fortsetzung folgt auf Seite 4

## VOVOX® Pro Audio

Stand 03-2023

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 19% VAT/MwSt.
<b>VOVOX Pro Audio Digital Cables</b>								
<b>S/P-DIF Cables</b>								
<b>VOVOX link protect AD (unbalanced, shielded, S/P-DIF 75 Ohm)</b>								
6.2101	VOVOX link	protect AD	100 cm	3.3 ft	RCA	RCA	119	142
6.2102	VOVOX link	protect AD	200 cm	6.6 ft	RCA	RCA	145	173
6.2103	VOVOX link	protect AD	350 cm	11.5 ft	RCA	RCA	185	220
6.2104	VOVOX link	protect AD	500 cm	16.4 ft	RCA	RCA	225	268
6.2105	VOVOX link	protect AD	750 cm	24.6 ft	RCA	RCA	289	344
6.2106	VOVOX link	protect AD	1000 cm	32.8 ft	RCA	RCA	355	422
<b>VOVOX sonorus direct A (unbalanced, non-shielded)</b>								
6.7801	VOVOX sonorus	direct A	100 cm	3.3 ft	RCA	RCA	199	237
6.7803	VOVOX sonorus	direct A	150 cm	4.9 ft	RCA	RCA	219	261
<b>VOVOX excelsus direct A (unbalanced, non-shielded)</b>								
6.8001	VOVOX excelsus	direct A	100 cm	3.3 ft	RCA	RCA	305	363
6.8003	VOVOX excelsus	direct A	150 cm	4.9 ft	RCA	RCA	345	411
<b>Wordclock Cables</b>								
<b>VOVOX link protect AD (unbalanced, shielded, Coaxial 75 Ohm)</b>								
6.2107	VOVOX link	protect AD	100 cm	3.3 ft	BNC	BNC	119	142
6.2108	VOVOX link	protect AD	200 cm	6.6 ft	BNC	BNC	145	173
6.2109	VOVOX link	protect AD	350 cm	11.5 ft	BNC	BNC	185	220
<b>Multipar AES/EBU Cables</b>								
<b>VOVOX sonorus muco (balanced, non-shielded)</b>								
6.3420	VOVOX sonorus	muco	100 cm **	3.3 ft **	DB25	DB25	585	696
6.3421	VOVOX sonorus	muco	100 cm **	3.3 ft **	DB25	4xXLRf/4xXLRm	645	768
6.3422	VOVOX sonorus	muco	200 cm **	6.6 ft **	DB25	DB25	795	946
6.3423	VOVOX sonorus	muco	200 cm **	6.6 ft **	DB25	4xXLRf/4xXLRm	855	1017
6.3424	VOVOX sonorus	muco	300 cm **	9.9 ft **	DB25	DB25	999	1189
6.3425	VOVOX sonorus	muco	300 cm **	9.9 ft **	DB25	4xXLRf/4xXLRm	1059	1260
<b>VOVOX Pro Audio Power Supply</b>								
<b>Power Cables</b>								
<b>VOVOX sonorus power (power cord 230V for stationary audio equipment)</b>								
4.8601	VOVOX sonorus	power	100 cm	3.3 ft	SchuKo	IEC	245	292
4.8602	VOVOX sonorus	power	180 cm	5.9 ft	SchuKo	IEC	315	375
4.8603	VOVOX sonorus	power	100 cm	3.3 ft	US	IEC	245	292
4.8604	VOVOX sonorus	power	180 cm	5.9 ft	US	IEC	315	375
<b>VOVOX excelsus power (power cord 230V for stationary audio equipment)</b>								
4.8301	VOVOX excelsus	power	100 cm	3.3 ft	SchuKo	IEC	345	411
4.8302	VOVOX excelsus	power	180 cm	5.9 ft	SchuKo	IEC	425	506
4.8303	VOVOX excelsus	power	100 cm	3.3 ft	US	IEC	345	411
4.8304	VOVOX excelsus	power	180 cm	5.9 ft	US	IEC	425	506

\* stereo pair / \*\* bi-directional